



SET UP

NAME	Paul Ciccarello		RACE	Race Against Cancer		DATE		
TRACK			CITY/COUNTRY			CONTACT		
TRACK SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT					
TRACK TRACTION	<input type="checkbox"/> HIGH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> LOW					
TRACK SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY					
TRACK TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input checked="" type="checkbox"/> CLAY					
	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS					
TRACK CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> MUD					
			TEMP. F° / °C					
			AIR	TRACK				
			LAPS					
			BEST LAPTIME	in LAP				
			RACE LENGTH					
			RACE RESULT					

DIFFERENTIAL OIL

FRONT	CENTER	REAR
5000 CST	5000 CST	4000 CST

CLUTCH

TYPE: STANDARD	<input type="checkbox"/> OPTIONAL
SHOE: ALU	PCS SPRING
CARBON	PCS SPRING

GEARING

CLUTCH BELL	16 T	SPUR GEAR	46 T
-------------	------	-----------	------

BRAKE BALANCERS

50/50	<input checked="" type="checkbox"/>	BALANCER CLIPS:	0.5 MM	pcs
OPTION	<input type="checkbox"/>		0.75MM	pcs
			1.0 MM	pcs
			1.25MM	pcs
			1.5 MM	pcs

SHOCKS

FRONT	SPRING	REAR
C= 4.8	PINK	C= 2.8
C= 5.0	BLUE	C= 3.0
C= 5.2	PURPLE	C= 3.2
C= 5.4	GREEN	C= 3.4
C= 5.6	GREY	C= 3.6
C= 5.8	YELLOW	C= 3.8
C= 6.0	WHITE	C= 4.0
C=	OTHER	C=
40losi	OIL/CST	35losi
25%	REBOUND %	25%

PISTON

HOLES SIZE	
<input type="checkbox"/> 1.1MM	<input type="checkbox"/>
<input type="checkbox"/> 1.2MM	<input type="checkbox"/>
<input checked="" type="checkbox"/> 1.3MM	<input checked="" type="checkbox"/>
<input type="checkbox"/> 1.4 MM	<input type="checkbox"/>
8 hole tapered web bladders	OTHER
	8 hole tapered web bladders

TYRES

BRAND	AKA	BRAND	Bitty
TYPE	Grid Iron SS	TYPE	
INSERT	Red	WING	OPTIONAL
WHEELS	AKA	STOCK	BRAND
			TYPE

ENGINE

TYPE	Muman Nova BTTS
MANIFOLD	41021
MUFFLER	2096
PLUG	C6TGC
FUEL	Byrons Racer 3000

COMMENTS

C hole in rear arm, play in sway bars 13.3 in front from top of nut to bottom of arm, rear 13.5mm, full short rear wheelbase, red front spring.

STEERING BLOCK <input checked="" type="checkbox"/> PLASTIC <input type="checkbox"/> ALU	CASTER BLOCK <input checked="" type="checkbox"/> PLASTIC <input type="checkbox"/> ALU	UPRIGHT <input checked="" type="checkbox"/> PLASTIC <input type="checkbox"/> ALU
HEX ADAPTER <input type="checkbox"/> -2MM <input type="checkbox"/> -1MM <input checked="" type="checkbox"/> 0MM		HEX ADAPTER <input type="checkbox"/> -2MM <input type="checkbox"/> -1MM <input checked="" type="checkbox"/> 0MM

CASTER <input type="checkbox"/> 10° <input checked="" type="checkbox"/> 12°	SPINDLE <input type="checkbox"/> HIGH <input checked="" type="checkbox"/> LOW	BRACE <input type="checkbox"/> PLASTIC <input checked="" type="checkbox"/> ALU
INSERT NR. 2 <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN	INSERT NR. 2 <input type="checkbox"/> UP <input checked="" type="checkbox"/> DOWN	BRACE <input checked="" type="checkbox"/> PLASTIC <input checked="" type="checkbox"/> ALU
INSERT NR. 6 <input type="checkbox"/> UP <input type="checkbox"/> DOWN	INSERT NR. 6 <input type="checkbox"/> IN <input type="checkbox"/> OUT	BRACE <input checked="" type="checkbox"/> STANDARD BRACKET <input type="checkbox"/> STANDARD BRACKET
		OPTIONAL TYPE LR

ANTI ROLLBAR <input type="checkbox"/> 1.8MM <input type="checkbox"/> 2.0MM <input type="checkbox"/> 2.3MM <input checked="" type="checkbox"/> 2.5MM <input type="checkbox"/> 2.7MM	WHEELBASE SHIMS 1.25 2.5 3.75 5MM	WING LOCATION IN MM
SERVO SAVER SPRING <input type="checkbox"/> STANDARD <input checked="" type="checkbox"/> HARD	ANTI ROLLBAR <input type="checkbox"/> 1.8MM <input type="checkbox"/> 2.0MM <input type="checkbox"/> 2.3MM <input checked="" type="checkbox"/> 2.5MM <input type="checkbox"/> 2.7MM	
STEERING BAR <input type="checkbox"/> OPT 1 <input checked="" type="checkbox"/> OPT 2 <input type="checkbox"/> OPT 3		

FRONT CAMBER + -	REAR CAMBER - + LR
SHOCKLENGTH AT FULL DROOP 99 MM	SHOCKLENGTH AT FULL DROOP 118 MM
ADJUST SHOCKLENGTH WITH THIS SCREW	ADJUST SHOCKLENGTH WITH THIS SCREW
ADJUST RIDE HEIGHT WITH SPRING COLLAR	ADJUST RIDE HEIGHT WITH SPRING COLLAR
RIDE HEIGHT 28 MM	RIDE HEIGHT 30 MM