



## SET UP

### DIFFERENTIAL OIL

FRONT	CENTER	REAR
15000 CST	12000 CST	6000 CST

### CLUTCH

TYPE: STANDARD	<input type="checkbox"/> OPTIONAL	buku
SHOE: ALU	<input type="checkbox"/> PCS	SPRING adj
CARBON	<input type="checkbox"/> PCS	SPRING adj

### GEARING

CLUTCH BELL	16 T	SPUR GEAR	46 T
-------------	------	-----------	------

### BRAKE BALANCERS

50/50	<input type="checkbox"/>	BALANCER CLIPS:	0.5 MM	pcs
OPTION	<input checked="" type="checkbox"/>		0.75MM	pcs
			1.0 MM	pcs
			1.25MM	pcs
			1.5MM	pcs

### SHOCKS

FRONT	SPRING	REAR
<input type="checkbox"/>	Orange	<input type="checkbox"/>
<input type="checkbox"/>	Red	<input type="checkbox"/>
<input type="checkbox"/>	Pink	<input type="checkbox"/>
<input type="checkbox"/>	Blue	<input type="checkbox"/>
<input type="checkbox"/>	Purple	<input type="checkbox"/>
<input type="checkbox"/>	Green	<input type="checkbox"/>
<input type="checkbox"/>	Other	<input type="checkbox"/>
500	OIL/CST	375
25	REBOUND %	25

### PISTON

<input type="radio"/> OPEN	PISTON	<input type="radio"/> CLOSED
<input type="checkbox"/>	HOLES SIZE	<input type="checkbox"/>
<input checked="" type="checkbox"/>	1.1MM	<input type="checkbox"/>
<input type="checkbox"/>	1.2MM	<input checked="" type="checkbox"/>
<input type="checkbox"/>	1.3MM	<input type="checkbox"/>
<input type="checkbox"/>	1.4 MM	<input type="checkbox"/>
black tapered	OTHER	black tapered

### TYRES

BRAND	concepts	BRAND	stock
TYPE	hybrids green	TYPE	
INSERT	blue	WING	OPTIONAL
WHEELS	concepts	STOCK	<input checked="" type="checkbox"/> BRAND
		TYPE	

### ENGINE

TYPE	alpha a-852
MANIFOLD	round
MUFFLER	2090
PLUG	99t
FUEL	vp powermaster

### COMMENTS

used the old springs.  
front was blue  
rear was green  
webbed bladders

DRIVER jeremy whiting  
TRACK icp  
TRACK SIZE ☒ OPEN  
TRACK TRACTION ☒ HIGH  
TRACK SURFACE ☐ SMOOTH  
TRACK TYPE ☒ HARD PACKED  
☒ BLUE GROOVE  
TRACK CONDITION ☒ DRY

RACE icp money race  
CITY indianapolis  
MEDIUM  
MEDIUM  
MEDIUM  
SOFT DIRT  
ASTRO TURF  
DUSTY


DATE 12-31-12  
COUNTRY usa  
TEMP: F° / °C  
AIR 50 TRACK 45  
LAPS 80  
BEST LAPTIME 30 min race  
QUALI RESULT 7th  
RACE RESULT 5th

### STEERING BLOCK

☒ PLASTIC  
☐ ALU

### CASTER BLOCK


☒ PLASTIC  
☐ ALU



HEX ADAPTER ☐ -2MM ☐ -1MM ☒ 0MM


### CASTER

☐ 10°  
☒ 12°



### SPINDLE

☐ HIGH  
☒ LOW




UPRIGHT  
☒ PLASTIC  
☐ ALU

HEX ADAPTER ☐ -2MM ☐ -1MM ☒ 0MM


### BRACE

☐ PLASTIC  
☒ ALU



### WHEELBASE SHIMS

☐ 1.25 ☒ 2.5 ☐ 3.75 ☐ 5MM



### ANTI ROLLBAR


☐ 1.8MM  
☐ 2.0MM  
☒ 2.3MM  
☐ 2.5MM  
☐ 2.7MM

### ANTI ROLLBAR


☐ 1.8MM  
☐ 2.0MM  
☐ 2.3MM  
☒ 2.5MM  
☐ 2.7MM

### STEERING BAR

☐ OPT 1  
☒ OPT 2  
☐ OPT 3



FRONT CAMBER ☐ + ☐ -2°  
SHOCKLENGTH AT FULL DROOP 101 MM  
ADJUST SHOCKLENGTH WITH THIS SCREW  
ADJUST RIDE HEIGHT WITH SPRING COLLAR  
RIDE HEIGHT 28 MM



REAR CAMBER ☐ -2° ☐ +  
SHOCKLENGTH AT FULL DROOP 124 MM  
ADJUST SHOCKLENGTH WITH THIS SCREW  
ADJUST RIDE HEIGHT WITH SPRING COLLAR  
RIDE HEIGHT 28 MM