









DRIVER, TRACK AND RESULTS

DRIVER	Mark Green	COUNTRY	UK	WEATHER	AIR TEMP	TRACK TEMP	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> INTERMEDIATE	<input type="checkbox"/> WET
TRACK	Halifax	TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH	COMMENTS			
RACE	BRCA / Open	DATE		QUALY POS.		QUALY TIME		STARTING POS.	

1ST		SPUR GEARS		2ND	
<input checked="" type="checkbox"/> 61	<input type="checkbox"/> 62	<input type="checkbox"/> 63	<input type="checkbox"/> 56	<input checked="" type="checkbox"/> 57	<input type="checkbox"/> 58

1ST		PINION		2ND	
<input type="checkbox"/> 18	<input checked="" type="checkbox"/> 19	<input type="checkbox"/> 20	<input type="checkbox"/> 23	<input checked="" type="checkbox"/> 24	<input type="checkbox"/> 25

FRONT		SHOCK ABSORBERS		REAR			
AE 45	cst	OIL		AE 50	cst		
Grey		SPRINGS		Pink			
5	mm	REBOUND		5	mm		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							

FRONT		ANTI-ROLL BARS		REAR	
<input checked="" type="checkbox"/> SOFT	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HARD	:	<input type="checkbox"/> SOFT	<input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HARD


FRONT		TYRES		Controlled Tyre <input type="checkbox"/>	REAR	
Matrix		MAKE			Matrix	
32		SHORE			35	
		DIAMETER				
		5-MIN WEAR				

POWER PACK			
ENGINE			
BRAND	XRD	TYPE	FT Line
GLOWPLUG	7	CARBØ	8.5 mm
		HEAD CLEARANCE	std mm
EXAUSHT			
PIPE	XRD 2069	MANIFOLD	XRD 5
FUEL			
BRAND	RunnerTime	NITRO	Top 16%

CLUTCH	
CLUTCH BELL <input checked="" type="checkbox"/> ALU <input type="checkbox"/> STEEL	CLUTCH SHOE <input type="checkbox"/> RED <input checked="" type="checkbox"/> YELLOW <input type="checkbox"/> BLACK
CLUTCH SPRING <u>Xtra hard</u>	CLUTCH BELL GAP <u>.7</u> mm

FLEX CONFIGURATION					
FRONT STIFFENER		FLEX		REAR CONNECTORS	
<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO

AERODYNAMIC CONFIGURATION	
BODY BRAND Matrix	BODY POSITION mm
BODY TYPE R18	
BUMPER INSERTS <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
AIR TRIM POSITION 9 mm	



FRONT

AERO DISKS ☐ YES ☒ NO

SHOCK POSITION

OFFSET 1 mm

DOWN STOP 0 mm

UPPER ARM INSERT

REAR

CAMBERLINK SHOCK POSITION

SHIMS 0 mm

AERO DISKS ☐ YES ☒ NO

OFFSET .25 mm

DOWN STOP 6 mm

ROLL CENTER INSERT

FRONT

REAR

FRONT CAMBER
R 1.5
L 1.5

REAR CAMBER
R 2.0
L 2.5

FRONT WHEEL
SHOCK BRACKET
WIDE ☒ **NARROW** ☐
SUSPENSION BRACKET
NARROW ☒ **WIDE** ☐

REAR WHEEL
SHOCK BRACKET
WIDE ☐ **NARROW** ☒
SUSPENSION BRACKET
NARROW ☐ **WIDE** ☒

FRONT WHEEL
WHEEL **8 mm** **WITH TYRE Ø** **xceed mm**

REAR WHEEL
WHEEL **9 mm** **WITH TYRE Ø** **xceed mm**

The diagram illustrates the rear suspension assembly with various adjustment points. On the left, a callout for 'FRONT TOE' shows a value of -1°. Below it, 'ROLL CENTER SHIMS' are specified for FR (2 mm) and RR (2 mm). A 'CASTER' callout indicates a 4 mm adjustment. On the right, a 'WHEEL BASE' callout shows a selection of 1 (indicated by a checkmark) from options 0, 1, 2, and 3. A 'REAR TOE' callout shows a value of 2.5°. The diagram includes various mechanical components like springs, dampers, and control arms, with arrows indicating the direction of adjustment.

Diagram illustrating the chassis layout and weight distribution for the car. The diagram shows the front and rear suspension systems, including the engine, transmission, and drivetrain components. Key dimensions and weight positions are indicated:

- TRACK WIDTH:** 254 mm (Front) and 265 mm (Rear).
- WEIGHT POSITION:** Indicated by circles representing the location of the front, middle, and rear weights.
- TOTAL CAR WEIGHT:** grams.

REMARKS

Alu wheel axles / Alu servo saver / Alu screw set /