

## DRIVER, TRACK AND RESULTS

DRIVER	Viktor Wilck	COUNTRY	Sweden	WEATHER	AIR TEMP	25	TRACK TEMP	25	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> INTERMEDIATE	<input type="checkbox"/> WET
TRACK	ETS Riccione	SURFACE	<input type="checkbox"/> ASPHALT <input type="checkbox"/> CARPET	TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH	COMMENTS					
RACE	ETS ITALY	DATE	2017-05-14	QUALY POS.	6	QUALY TIME	STARTING POS.		6	FINAL POS.	8

FRONT	DRIVE TRAIN	REAR
<input type="checkbox"/> GEAR DIFF	cst	<input checked="" type="checkbox"/> GEAR DIFF
<input checked="" type="checkbox"/> SPOOL		7000 cst

FLEX CONFIGURATION		
CHASSIS	STIFFENERS	TOP DECK
<input checked="" type="checkbox"/> STD <input type="checkbox"/> FLEX	<input type="checkbox"/> FRONT <input type="checkbox"/> REAR	<input type="checkbox"/> NONE <input type="checkbox"/> mm

FRONT	HEAVE DAMPER	REAR
OIL	2500 cst	OIL
SPRINGS	orange	SPRINGS
<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>
N HOLES	2 Ø mm	N HOLES
	2 Ø mm	

FRONT	ROLL DAMPER	REAR
OIL	2000 cst	OIL
SPRINGS	red	SPRINGS
<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
N HOLES	0 Ø mm	N HOLES
	0 Ø mm	

FRONT	TYRES	Controlled Tyre	REAR
ETS Volante	MAKE AND TYPE	ETS Volante	
	INSERTS		
ETS Rheinard	ADDITIVE	ETS Rheinard	
10min	ADDITIVE TIMING	10min	

ELECTRONICS	
BATTERY	
BRAND	Gens Ace LCG
CAPACITY	5500 mAh
MOTOR	
BRAND	Arrowmax
TYPE	4.5
TIMING	
ESC	
BRAND	Arrowmax
TYPE	prototype

RATIO CONFIGURATION	
64	PITCH SPUR GEAR TEETH
112	
64	PITCH PINION TEETH
29	
FINAL DRIVE RATIO	7.72
ROLL OUT	mm

AERODYNAMIC CONFIGURATION	
BODY BRAND	PF
BODY TYPE	LTC-r LW
BODY POSITION	10 mm

REMARKS
XH arms front&rear new standing parallell top deck

FRONT	REAR
PULLROD LENGTH 14.5 mm	PULLROD LENGTH 15.5 mm
ROLL CENTER SHIMS 3 mm	ROLL CENTER SHIMS 2 mm
WHEEL HEX -0.75 mm	WHEEL HEX -0.75 mm
DOWN STOP 1 mm	DOWN STOP 0.5 mm
FRONT CAMBER R 2° L 2°	REAR CAMBER R 2° L 2°
UPPER ARM INSERT	UPPER ARM INSERT
RISE HEIGHT WITH TYRE Ø 5.2 mm	RISE HEIGHT WITH TYRE Ø 5.7 mm
CASTER 3 mm	SPACERS 6 mm
FRONT TOE 1°	REAR TOE 2°
OUTER ACKERMANN	INNER ACKERMANN
REAR REACTIVE SYSTEM	
SHIMS 0 mm	SHIMS 1.5 mm
WHEEL BASE <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	WHEEL BASE <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4
SHIMS mm	
ROLL CENTER BOTTOM INSERTS MID LOW <input checked="" type="checkbox"/> MID HIGH <input type="checkbox"/> HIGH <input type="checkbox"/>	ROLL CENTER BOTTOM INSERTS MID LOW <input checked="" type="checkbox"/> MID HIGH <input type="checkbox"/> HIGH <input type="checkbox"/>
WEIGHT DISTRIBUTION	
CAR WEIGHT 1360 grams	
BATTERY POS. <input type="checkbox"/> FR <input checked="" type="checkbox"/> MID <input type="checkbox"/> RR	
TRACK WIDTH 186 mm	TRACK WIDTH 184 mm