

DRIVER, TRACK AND RESULTS

DRIVER	Justin Fales	COUNTRY	US	WEATHER	AIR TEMP	TRACK TEMP	<input checked="" type="checkbox"/> DRY <input type="checkbox"/> INTERMEDIATE <input type="checkbox"/> WET
RACE	Wicked Weekend	DATE	8/18/2019	QUALY POS.	4	STARTING POS.	4
FINAL POS.	3	FASTEST LAP					
TRACK	TYPE <input type="checkbox"/> TIGHT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> OPEN <input type="checkbox"/> GRIP <input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH <input type="checkbox"/>						
SURFACE CONDITION	<input type="checkbox"/> SMOOTH <input type="checkbox"/> ROUGH <input checked="" type="checkbox"/> Very bumpy and dusty						
TYPE	<input checked="" type="checkbox"/> HARD PACKED <input type="checkbox"/> CLAY <input type="checkbox"/> MULTI/SURFACE <input type="checkbox"/> GRASS <input type="checkbox"/> BLUE GROOVE <input checked="" type="checkbox"/> DIRT <input type="checkbox"/> ASTRO-TURF <input type="checkbox"/>						

FRONT SHOCK ABSORBERS		REAR	
700 cst	OIL	650 cst	
Purple	SPRINGS	Blue	
0 mm	REBOUND	0 mm	
N° HOLES 5	mm	PISTONS N° HOLES 5	mm
<input type="checkbox"/> BLADDER	SEAL TYPE	<input type="checkbox"/> BLADDER	
<input checked="" type="checkbox"/> EMULSION		<input checked="" type="checkbox"/> EMULSION	

FRONT ANTI-ROLL BARS		REAR	
<input type="checkbox"/> 1.8	<input type="checkbox"/> 2.0	<input type="checkbox"/> 1.8	<input type="checkbox"/> 2.0
<input type="checkbox"/> 2.3	<input type="checkbox"/> 2.5	<input type="checkbox"/> 2.3	<input type="checkbox"/> 2.5
<input checked="" type="checkbox"/> 2.7	<input type="checkbox"/> 3.0	<input checked="" type="checkbox"/> 2.7	<input type="checkbox"/> 3.0

DIFFERENTIAL OIL		
FRONT DIFF	CENTER DIFF	REAR DIFF
7 cst	15 cst	5 cst

GEARING	
PINION	16 Teeth
SPUR GEAR	44 Teeth

ELECTRONICS	
BATTERY	
BRAND	Trinity
CAPACITY	6000 mAh

MOTOR	
BRAND	Trinity
TYPE	D8
TIMING	0







ESC	
BRAND	Hobbywing
TYPE	SRXPro

ELECTRONICS LAYOUTS	
<input type="checkbox"/> LAYOUT 1	<input type="checkbox"/> LAYOUT 2
<input type="checkbox"/> 2S STICK BATTERIES <input type="checkbox"/> 2S SHORTY REARWARD BATTERIES <input type="checkbox"/> 2S SHORTY FORWARD BATTERIES	<input checked="" type="checkbox"/> 4S BRICK BATTERY <input type="checkbox"/> 2S STICK BATTERIES <input type="checkbox"/> 2S SHORTY REARWARD BATTERIES <input type="checkbox"/> 2S SHORTY FORWARD BATTERIES

AERODYNAMIC CONFIGURATION	
BODY	<input type="checkbox"/> STANDARD <input type="checkbox"/> HIGH DOWNFORCE <input checked="" type="checkbox"/> OTHER
	LFR

WING	
TYPE	Serpent
WING PLATES	<input type="checkbox"/> 2° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 6°
GURNEY STRIP	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
CENTER FOIL	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

FRONT TIRES		REAR	
AKA	MAKE	AKA	
Gridiron SLW	TYPE	Gridiron SLW	
AKA	INSERTS	AKA	
AKA	WHEELS	AKA	



REMARKS	
Pistons 5 hole 1.4 front, 1.5 rear. Alum rear hubs. Graphite rear shock tower. Ride hieght 27 front 28 rear. Front kick up 11. Rear toe 3.0. Anti squat 0. Temp at track 92 degrees.	