

## DRIVER, TRACK AND RESULTS


<b>DRIVER</b>	<b>COUNTRY</b>	<b>WEATHER</b>	<b>AIR TEMP</b>	<b>TRACK TEMP</b>	<input type="checkbox"/> DRY <input type="checkbox"/> INTERMEDIATE <input type="checkbox"/> WET
<b>TRACK</b>	<b>TRACTION</b> <input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH <b>COMMENTS</b>				
<b>RACE</b>	<b>DATE</b>	<b>QUALY POS.</b>	<b>QUALY TIME</b>	<b>STARTING POS.</b>	<b>FINAL POS.</b>

FRONT		SHOCK ABSORBERS		REAR	
cst	OIL			cst	
SPRINGS					
mm	REBOUND			mm	
N° HOLES	Ø	mm	PISTONS	N° HOLES	Ø
<input type="checkbox"/> FLAT <input type="checkbox"/> CONICAL	PISTON TYPE		<input type="checkbox"/> FLAT <input type="checkbox"/> CONICAL		

ANTI-ROLL BARS	
FR ANTI-ROLL BAR	mm
RR ANTI-ROLL BAR	mm

DIFFERENTIAL OIL AND POSITION			
<b>FRONT DIFF</b>	<b>POSITION</b>	<b>REAR DIFF</b>	<b>POSITION</b>
<input type="checkbox"/> LOW <input type="checkbox"/> MID LOW		<input type="checkbox"/> LOW <input type="checkbox"/> MID LOW	
cst <input type="checkbox"/> HIGH <input type="checkbox"/> MID HIGH		cst <input type="checkbox"/> HIGH <input type="checkbox"/> MID HIGH	


ELECTRONICS & GEARING	
<b>MOTOR &amp; PINION</b>	
BRAND	TYPE
TIMMING	PINION teeth
<b>ESC BRAND</b> TYPE	
<b>BATTERY BRAND</b> CAPACITY mAh	
<input type="checkbox"/> 2S STICK BATTERIES	<input type="checkbox"/> 2S SHORTY REARWARD BATTERIES
<input type="checkbox"/> 2S SHORTY FORWARD BATTERIES	



WHEEL BASE	
<input type="checkbox"/> SHORT WHEELBASE	<input type="checkbox"/> LONG WHEELBASE


FRONT TIRES		Controlled Tire		REAR	
MAKE					
TYPE					
INSERTS					
WHEELS					

AERODYNAMIC CONFIGURATION	
BODY BRAND & TYPE	BODY POSITION mm
WING BRAND & TYPE	
REAR DIFFUSER	<input type="checkbox"/> YES <input type="checkbox"/> NO




FRONT		REAR	
WHEEL HEX mm	SHOCK POSITION	SHOCK POSITION	WHEEL HEX mm
CAMBERLINK POSITION	SHOCK POSITION	CAMBERLINK POSITION	SHOCK POSITION
DOWN STOP mm		DOWN STOP mm	


FRONT CAMBER		REAR CAMBER	
L	R	L	R
RIDE HEIGHT mm WITH TYRE Ø		RIDE HEIGHT mm WITH TYRE Ø	




FRONT ARM SKIN		REAR ARM SKIN	
<input type="checkbox"/> TOP	<input type="checkbox"/> NYLON <input type="checkbox"/> CARBON	<input type="checkbox"/> TOP	<input type="checkbox"/> NYLON <input type="checkbox"/> CARBON
<input type="checkbox"/> BOTTOM	<input type="checkbox"/> NYLON <input type="checkbox"/> CARBON	<input type="checkbox"/> BOTTOM	<input type="checkbox"/> NYLON <input type="checkbox"/> CARBON
FRONT TOE		REAR TOE	
STEERING BLOCK ACKERMAN PLATE		REAR UPRIGHT ROLL CENTER INSERTS	
OPTION TYPE			



STEERING STOP		SERVO SAVER SPRING		WHEEL BASE	
mm		<input type="checkbox"/> STD <input type="checkbox"/> HARD		<input type="checkbox"/> 0 <input type="checkbox"/> 1.25	<input type="checkbox"/> 2.5 <input type="checkbox"/> 3.75
CASTER BLOCK				<input type="checkbox"/> 5	



SUSPENSION BRACKETS INSERTS	
FRONT FR INSERTS N°	REAR FR INSERTS N°
	REAR RR INSERTS N°



## REMARKS